
TAN'COR

Proanthocyanidic tannin and ellagitannin preparation, using LAFFORT's Instant Dissolving Process (**IDP**), to be used in red wine maturation

SPECIFICATIONS

TAN'COR® combines the properties of ellagic and proanthocyanidic tannins specially prepared for the treatment of red wines after the fermentation phase or during maturation, and is used for:

- Enhancement and modification of the structure of the wine and preparing it for maturation.
- Protection of the wine with regards to oxidation phenomena.
- Regulation of oxidation-reduction phenomena.

ENOLOGICAL APPLICATIONS

- Red wines presenting a tannin imbalance and/or weak structure.
- Limiting the appearance of reductive characteristics.

PROTOCOL FOR USE

DOSAGE

- Tannin structure improvement: 10 - 30 g/hL.
- Protection against oxidation : 10 - 30 g/hL.

IMPLEMENTATION

During the first wine racking, after malo-lactic fermentation or at any stage during maturation.

Thanks to the IDP procedure, **TAN'COR**® can be sprinkled directly onto the wine during homogenisation or a pump-over.

After **TAN'COR**® has been added, it is recommended to carry out normal rackings until bottling preparation.

It is recommended to add **TAN'COR**® at least two weeks before bottling.

STORAGE

Store in the original, unopened packaging and use within specified "use by" date.

PACKAGING

1 kg bag - 10 kg box
5 kg bag - 10 kg box

